

News III. 22



MAXIMO

Design by Bob Terzuola

STRENGTH AND HONOR

Born from legendary tales, forged by centuries of tradition, MAXIMO will be always by your side, also in the most extreme adventures, like a faithful soldier with his commander... with strength and honor.

Blade length: 82 mm - 3.23 in

Opening system: Flipper + Thumb stud with ball bearing rotation mechanism

Total length: 197 mm - 7.76 in

Accessories: Replacement clip screw with rounded head. Special key for removing glass breaker screw and thumb stud

Blade thickness: 4 mm - 0.16 in

Packaging: Ballistic nylon sheath with zip fastener and belt loop

Lock type: Frame Lock













MK MM-T

Weight: 135 g - 4.76 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN,

stonewash finish, hardness HRC 58-60

Handle: Bead blasted 3D machined titanium Gr. 5 Ti6Al4V

Clip: Stonewashed stainless steel bent clip screwed to titanium

spacer by a tungsten carbide glass-breaker **Spacer:** Bead blasted titanium Gr. 5 Ti6Al4V

Screws: Stainless steel with blue anodized titanium ring

on pivot screw

MK MM-TBR

Weight: 135 g - 4.76 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN,

stonewash finish, hardness HRC 58-60

Handle: Bronze anodized 3D machined titanium Gr. 5 Ti6Al4V

Clip: Stonewashed stainless steel bent clip screwed to titanium spacer by a tungsten carbide glass-breaker

Spacer: Bead blasted titanium Gr. 5 Ti6Al4V

Screws: Stainless steel with bead blasted titanium ring

on pivot screw

MK MM-TDSW

Weight: 135 g - 4.76 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN,

dark stonewash finish, hardness HRC 58-60

Handle: Dark stonewashed 3D machined titanium

Gr. 5 Ti6Al4V

Clip: Dark stonewashed stainless steel bent clip screwed to titanium spacer by a tungsten carbide glass-breaker Spacer: Dark stonewashed titanium Gr. 5 Ti6Al4V

Screws: Dark stonewashed stainless steel screws

and titanium ring on pivot screw

STRENGTH AND HONOR

Born from legendary tales, forged by centuries of tradition, MAXIMO will be always by your side, also in the most extreme adventures, like a faithful soldier with his commander... with strength and honor.

Blade length: 82 mm - 3.23 in

Opening system: Flipper + Thumb stud with ball bearing rotation mechanism

Total length: 197 mm - 7.76 in

Accessories: Replacement clip screw with rounded head. Special key for removing glass breaker screw and thumb stud

Blade thickness: 4 mm - 0.16 in

Packaging: Ballistic nylon sheath with zip fastener and belt loop

Lock type: Frame Lock













MK MM-GCT

Weight: 120 g - 4.23 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN,

stonewash finish, hardness HRC 58-60

Handle: Bead blasted 3D machined titanium Gr. 5 Ti6Al4V

frame, green canvas Micarta front scale

Clip: Stonewashed stainless steel bent clip screwed to titanium spacer by a tungsten carbide glass-breaker

Spacer: Bead blasted titanium Gr. 5 Ti6Al4V

Screws: Stainless steel with bead blasted titanium ring

on pivot screw

MK MM-BCT

Weight: 120 g - 4.23 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN, stonewash finish. hardness HRC 58-60

Handle: Bead blasted 3D machined titanium Gr. 5 Ti6Al4V frame, black canvas Micarta front scale

Clip: Stonewashed stainless steel bent clip screwed to titanium spacer by a tungsten carbide glass-breaker

Spacer: Bead blasted titanium Gr. 5 Ti6Al4V

Screws: Stainless steel with bead blasted titanium ring

on pivot screw

MK MM-CT

Weight: 120 g - 4.23 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN,

stonewash finish, hardness HRC 58-60

Handle: Bead blasted 3D machined titanium Gr. 5 Ti6Al4V


frame, carbon fiber front scale

Clip: Stonewashed stainless steel bent clip screwed to titanium spacer by a tungsten carbide glass-breaker

Spacer: Bead blasted titanium Gr. 5 Ti6Al4V

Screws: Stainless steel with blue anodized titanium ring





HERO Design by Tommaso Rumici

EVERYBODY NEEDS A HERO

Strong, reliable and brave, this is how you would like your hero to be and this is how we made it.

Its generous size together with strong lock back make Hero your perfect knife on hard work situations always keeping nice and classy look.

Blade length: 88 mm - 3.46 in

Opening system: Thumb stud with ball

bearing rotation mechanism

Total length: 214 mm - 8.43 in

Accessories: Torx key T6/T8

Blade thickness: 4 mm - 0.16 in

Packaging: Ballistic nylon sheath with zip fastener and belt loop

Lock type: Advanced back lock













MK HR-GCT

Weight: 170 g - 5.99 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN,

stonewash finish, hardness HRC 58-60

Handle: Green canvas Micarta with monoblock titanium

bolsters and liners

Clip: Reversible bead blasted titanium bent clip

Spacer: Stonewashed stainless steel spring and lever **Screws:** Stainless steel with bronze anodized titanium ring

on pivot screw

MK HR-NCT

Weight: 170 g - 5.99 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN,

stonewash finish, hardness HRC 58-60

Handle: Natural canvas Micarta with monoblock titanium

bolsters and liners

Clip: Reversible bead blasted titanium bent clip Spacer: Stonewashed stainless steel spring and lever

Screws: Stainless steel with titanium ring on pivot screw

MK HR-GTBK

Weight: 175 g - 6.17 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN,

stonewash finish, hardness HRC 58-60

Handle: Black G10 with monoblock titanium bolsters and liners

Clip: Reversible bead blasted titanium bent clip

Spacer: Stonewashed stainless steel spring and lever **Screws:** Stainless steel with blue anodized titanium ring



EVERYBODY NEEDS A HERO

Strong, reliable and brave, this is how you would like your hero to be and this is how we made it. Its generous size together with strong lock back make Hero your perfect knife on hard work situations always keeping nice and classy look.

Blade length: 88 mm - 3.46 in

Total length: 214 mm - 8.43 in

Opening system: Thumb stud with ball

bearing rotation mechanism

Accessories: Torx key T6/T8

Blade thickness: 4 mm - 0.16 in

Packaging: Ballistic nylon sheath with zip fastener and belt loop

Lock type: Advanced back lock













MK HR-GTTN

Weight: 175 g - 6.17 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN,

stonewash finish, hardness HRC 58-60

Handle: Tan G10 with monoblock titanium bolsters and liners

Clip: Reversible bead blasted titanium bent clip Spacer: Stonewashed stainless steel spring and lever Screws: Stainless steel with titanium ring on pivot screw MK HR-WNT

Weight: 160 g - 5.64 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN,

satin finish, hardness HRC 58-60

Handle: Walnut wood with monoblock titanium bolsters and liners

Clip: Reversible bead blasted titanium bent clip Spacer: Satin finished stainless steel spring and lever Screws: Stainless steel with titanium ring on pivot screw

MK HR-CFT

Weight: 170 g - 5.99 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN,

satin finish, hardness HRC 58-60

Handle: Marble carbon fiber with monoblock titanium bolsters

and liners

Clip: Reversible bead blasted titanium bent clip

Spacer: Satin finished stainless steel spring and lever Screws: Stainless steel with blue anodized titanium ring





Design by Michael Zieba

Elame Light drop point . News III. 22

LET'S LIGHT THE FLAME

It was already light, we made it even lighter... Keeping the same blade styles but with a new lock type and new super deep carry pocket clip, these new versions perfectly bring out the executive style of the Flame.

Blade thickness: 2.5 mm - 0.10 in

Blade length: 72 mm - 2.83 in

Total length: 176 mm - 6.93 in

Lock type: Liner lock

Opening system: Flipper with ball bearing rotation mechanism

Weight: 55 g - 1.94 oz

Spacer: Stonewashed stainless steel Clip: Stonewashed stainless steel bent clip

Blade steel / Finishing: BÖHLER M390 MICROCLEAN, stonewash finish, hardness Packaging: Ballistic nylon sheath with zip fastener and belt loop

HRC 58-60













MK FL01L-GC

Handle: Green canvas Micarta

Screws: Stainless steel with bronze anodized titanium ring

on pivot screw

MK FL01L-NC

Handle: Natural canvas Micarta

Screws: Stainless steel with titanium ring on pivot screw

MK FL01L-BC

Handle: Black canvas Micarta

Screws: Stainless steel with blue anodized titanium ring

Elame Light danger . News III.22

LET'S LIGHT THE FLAME

It was already light, we made it even lighter... Keeping the same blade styles but with a new lock type and new super deep carry pocket clip, these new versions perfectly bring out the executive style of the Flame.

Blade thickness: 2.5 mm - 0.10 in

Blade length: 72 mm - 2.83 in

Total length: 176 mm - 6.93 in

Lock type: Liner lock

Opening system: Flipper with ball bearing rotation mechanism

Weight: 55 g - 1.94 oz

Spacer: Stonewashed stainless steel Clip: Stonewashed stainless steel bent clip

Blade steel / Finishing: BÖHLER M390 MICROCLEAN, stonewash finish, hardness

HRC 58-60

Packaging: Ballistic nylon sheath with zip fastener and belt loop













MK FL02L-GC

Handle: Green canvas Micarta

Screws: Stainless steel with bronze anodized titanium ring

on pivot screw

MK FL02L-NC

Handle: Natural canvas Micarta

Screws: Stainless steel with titanium ring on pivot screw

MK FL02L-BC

Handle: Black canvas Micarta

Screws: Stainless steel with blue anodized titanium ring



Design by

Jesper Voxnaes

FLUID HARMONIES

A rippled surface, broad bight and the crest of a wave: with its limpid and harmoniously multifaceted design, Timavo evokes the multiple forms of a flowing river.

Blade length: 68 mm - 2.68 in

Total length: 182 mm - 7.17 in

Blade thickness: 3.5 mm - 0.14 in

Lock type: Liner lock

Opening system: Flipper with ball bearing

rotation mechanism

Packaging: Ballistic nylon sheath with zip fastener and belt loop







Weight: 103 g – 3.63 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN,

stonewash finish, hardness HRC 58-60

Handle: Natural canvas Micarta

Clip: Stonewashed stainless steel wire clip

Spacer: Stainless steel bushings

Screws: Stainless steel with titanium ring on pivot screw







MK VP02-BC

Weight: 103 g – 3.63 oz

Blade steel / Finishing: BÖHLER M390 MICROCLEAN,

stonewash finish, hardness HRC 58-60

Handle: Black canvas Micarta

Clip: Stonewashed stainless steel wire clip

Spacer: Stainless steel bushings

Screws: Stainless steel with titanium ring on pivot screw



GOCCIA

Design by Jens Anso

BE THE FLOW

Be totally absorbed in what you're doing, be fully present and completely focused on your tasks, that is when you will feel the flow in you. Don't ever follow the flow, be the flow.





MK GC-D

Blade length: 85 mm - 3.35 in Total length: 200 mm - 7.87 in Blade thickness: 4 mm - 0.16 in

Opening system: Flipper with ball bearings

rotation mechanism **Lock type:** Liner lock **Weight:** 145 g - 5.11 oz

Blade steel / Finishing: Damasteel Rose,

hardness HRC 58-60

Handle: Polished titanium handle with Damasteel

Rose milled pattern

Clip: Bronze anodized titanium bent clip

Spacer: Bronze anodized titanium solid spacer **Screws:** Stainless steel with bronze anodized

titanium ring on pivot screw

Packaging: MKM wooden collection box







MAKRO
Design by
Jesper Voxnaes

Maken I . News M.22

WE MADE IT BIGGER!

Makro is the big brother of Mikro and obviously they speak the same design language typical of Jesper Voxnaes. A great EDC fixed blade knife that puts together functionality with a very nice look. Makro is very easy to carry thanks to its pocket leather sheath with magnetic clip system.

Blade length: 73 mm - 2.87 in

Blade steel / Finishing: BÖHLER M390 MICROCLEAN, stonewash finish, hardness HRC 58-60 Total length: 166 mm - 6.54 in

Screws: Stainless steel with blue anodized titanium ring

Blade thickness: 4 mm - 0.16 in

Sheath: Pocket leather sheath with magnetic clip

Accessories: Torx key T6/T8



MK MA01-N

Weight: 47 g - 1.66 oz Handle: Naked



MK MA01-GC

Weight: 66 g - 2.33 oz Handle: Green canvas Micarta



MK MA01-NC

Weight: 66 g - 2.33 oz Handle: Natural canvas Micarta



MK MA01-GBK

Weight: 66 g - 2.33 oz Handle: Black G10



MK MA01-CF

Weight: 66 g - 2.33 oz Handle: Carbon fiber

WE MADE IT BIGGER!

Makro is the big brother of Mikro and obviously they speak the same design language typical of Jesper Voxnaes. A great EDC fixed blade knife that puts together functionality with a very nice look. Makro is very easy to carry thanks to its pocket leather sheath with magnetic clip system.

Blade length: 73 mm - 2.87 in

Blade steel / Finishing: BÖHLER M390 MICROCLEAN, stonewash finish, hardness HRC 58-60 Total length: 166 mm - 6.54 in

Screws: Stainless steel with blue anodized titanium ring

Blade thickness: 4 mm - 0.16 in

Sheath: Pocket leather sheath with magnetic clip

Accessories: Torx key T6/T8



MK MA02-N

Weight: 47 g - 1.66 oz Handle: Naked



MK MA02-GC

Weight: 66 g - 2.33 oz

Handle: Green canvas Micarta



MK MA02-NC

Weight: 66 g - 2.33 oz Handle: Natural canvas Micarta



MK MA02-GBK

Weight: 66 g - 2.33 oz Handle: Black G10



MK MA02-CF

Weight: 66 g - 2.33 oz Handle: Carbon fiber





www.mkm.it

Headquarter

Via della Repubblica, 21 - 33085 Maniago (PN) - Italy Tel. +39 0427 71185 | Fax +39 0427 700440 e-mail info@mkm.it | www.mkm.it

Store

Piazza Italia, 19 - 33085 Maniago (PN) - Italy Tel. +39 0427 71744 e-mail shop@mkm.it